



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/083,773	02/27/2002	William Arthur Welsh	67,008-041/S-5453	5465

26096 7590 05/16/2006

CARLSON, GASKEY & OLDS, P.C.
400 WEST MAPLE ROAD
SUITE 350
BIRMINGHAM, MI 48009

EXAMINER

KURR, JASON RICHARD

ART UNIT PAPER NUMBER

2615

DATE MAILED: 05/16/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/083,773	Applicant(s) WELSH ET AL.	
	Examiner Jason R. Kurr	Art Unit 2615	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 2/1/06.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 2/27/02 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2615

DETAILED ACTION

¶ 5.03 Reassignment Affecting Application Location

The Art Unit location of your application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Art Unit [2615].

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 1 recites the controlling of a "physical variable"; the term has not been clearly defined in the claim. Therefor the Examiner has broadly interpreted the term in any manner consistent with term, such as a received electrical signal.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-5 are rejected under 35 U.S.C. 102(b) as being anticipated by Bazarjani et al (US 6,005,506).

With respect to claim 1, Bazarjani discloses a method for controlling a physical variable at a frequency of interest ($f_{\text{sub.d}}$) including the steps of:

- a) sampling the physical variable at a sample frequency less than twice the frequency of interest (col.5 ln.27-30, col.8 ln.54-59);
- b) calculating at least one control command based upon the sampling of the physical variable (fig.4 #2270); and
- c) generating a force for controlling the physical variable based upon the control command (col.8 ln.1-3).

With respect to claim 2, Bazarjani discloses the method of claim 1, further including the steps of: band pass filtering the physical variable prior to said step a) (fig.2 #2218).

With respect to claim 3, it is inherently known in the art that in order to process a specific frequency, a band pass filter extracts a frequency range around the desired frequency with a lower and upper bound. These bounds can be generally given by $(2n-1)*f_{\text{sub.s}}/2$ and by $(2n+1)*f_{\text{sub.s}}/2$, where n is an integer chosen so that the frequency of interest is within the upper and lower bounds. Bazarjani discloses the sampling of the IF signal at $(2n-1)*f_s/4$ (col.8 ln.43-46), after being down-converted from the frequency of interest by mixer (fig.2 #2220) and local oscillator (fig.2 #2222)(col.6 ln.27-29). These new sampling bounds are a direct result of the frequency down-conversion.

With respect to claim 4, Bazarjani discloses the method of claim 1 wherein said physical variable includes information within a bandwidth including said frequency of interest and wherein said sampling rate is at least twice the bandwidth of this information (col.9 ln.20-27).

With respect to claim 5, Bazarjani discloses the method of claim 1 further including the step of generating the at least one control command at a rate less than twice the frequency of interest (col.7 ln.56-67, col.8 ln.1-9). It is inherent that the decimated samples input to controller (fig.4 #2270) influence the control command, at a rate less than twice the frequency of interest.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

Claims 6, 9, 14, 15, 16, 17, 18 and 19 are rejected under 35 U.S.C. 102(a) as being anticipated by Ivers (WO 00/20775).

Art Unit: 2615

With respect to claim 6, Ivers discloses a method for computing control commands at a reduced rate in a noise or vibration control system including the steps of:

- a) sensing a physical variable (fig.15a #32);
- b) identifying harmonic components (a.sub.k, b.sub.k) of the physical variable at a frequency of interest (f.sub.d) (fig.15a #52a);
- c) down-sampling the harmonic components (a.sub.k, b.sub.k) to a lower update frequency (f.sub.u) (fig.15b #73);
- d) performing control computations on the harmonic components (a.sub.k, b.sub.k) at the lower update frequency (f.sub.u) (fig.15b #54); and
- e) generating control commands based upon the control computations (fig.15a #29b).

With respect to claim 9, Ivers discloses the method of claim 6 further comprising: low-pass anti-aliasing filtering to prevent aliasing in sampling at a lower update frequency (f.sub.u) (fig.15b #72).

With respect to claim 14, Ivers discloses a method for analyzing a physical variable having a first frequency of interest f.sub.1 and a second frequency of interest f.sub.2 including the steps of:

- a) identifying first harmonic components a.sub.k1, b.sub.k1 of the first frequency of interest f.sub.1 (fig.15a #52a);

Art Unit: 2615

b) down-sampling the harmonic components $a_{\text{sub.k1}}$, $b_{\text{sub.k1}}$ at an intermediate frequency $f_{\text{sub.u1}}$ (fig.15b #73);

c) identifying second harmonic components $a_{\text{sub.k2}}$, $b_{\text{sub.k2}}$ of a difference between the first frequency of interest $f_{\text{sub.1}}$ and the second frequency of interest $f_{\text{sub.2}}$ (fig.15a #52a);

d) down sampling the harmonic components $a_{\text{sub.k2}}$, $b_{\text{sub.k2}}$ at an update frequency $f_{\text{sub.u2}}$ (fig.15b #73); and

e) analyzing information at the first frequency of interest $f_{\text{sub.1}}$ and the second frequency of interest $f_{\text{sub.2}}$ based upon said harmonic components $a_{\text{sub.k1}}$, $b_{\text{sub.k1}}$ and $a_{\text{sub.k2}}$, $b_{\text{sub.k2}}$ (fig.15a #54).

With respect to claim 15, it is inherent that when a frequency is down sampled the new frequency is less than the previous frequency. If $f_{\text{sub.u1}}$ is the frequency before down sampling, and $f_{\text{sub.u2}}$ is the frequency after down sampling it would be inherent that the intermediate frequency $f_{\text{sub.u1}}$ is higher than the update frequency $f_{\text{sub.u2}}$.

With respect to claim 16, Ivers discloses the method of claim 14 further including the steps of: f) generating control signals at the update frequency $f_{\text{sub.u2}}$ based upon said step e) (fig.15a #52b).

With respect to claim 17, Ivers discloses an apparatus for sensing physical variables at a reduced rate comprising: a sensor adapted to sense physical variables and to generate a sensed signal as a function of the sensed physical variable (fig.15a #32); and

a control circuit adapted to establish a frequency of interest ($f_{\text{sub.d}}$), and to establish a sample frequency ($f_{\text{sub.s}}$) (fig.15b),

wherein the control circuit filters the sensed signals to extract a frequency range with a lower bound given by $(2n-1)f_{\text{sub.s}}/2$ and an upper bound given by $(2n+1)f_{\text{sub.s}}/2$, where n is an integer chosen so that the frequency of interest ($f_{\text{sub.d}}$) is within the extracted frequency range (pg.13 ln.24-26).

With respect to claim 18, Ivers discloses the apparatus of claim 17, wherein the control circuit attenuates the filtered sensed signal at a frequency less than the frequency of interest ($f_{\text{sub.d}}$) by high-pass anti-aliasing to produce a resultant signal (fig.15b #74).

With respect to claim 19, Ivers discloses the apparatus of claim 17 wherein the control circuit aliases the filtered sensed signal to a lower frequency when there is no information present at the lower frequency in the sensed signal and the control circuit extracts desired information (fig.15b #72 , pg.15 ln.27-29).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 11, 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ivers (WO 00/20775) in view of Kotoulas et al (US 6,493,689 B2).

With respect to claim 11, Ivers discloses the method of claim 6, however does not disclose expressly wherein said physical variable comprises a plurality of physical variables.

The Kotoulas reference discloses a method wherein a physical variable comprises a plurality of physical variables (fig.1 #49 , fig.4 #115,126) including the steps of:

f) generating a sensed signal as a function of each of said plurality of physical variables (fig.4 #119,120,121); and

g) computing harmonic estimates for each sensed signal at each sample time (col.12 ln.14-35 , fig.4 #108).

At the time of the invention it would have been obvious to a person of ordinary skill in the art to sense and process a plurality of physical variables as in the Kotoulas reference.

Art Unit: 2615

The motivation for doing so would have been to allow for control of vibrations and noise being emitted from a plurality of noise sources.

With respect to claim 12, Ivers discloses the method of claim 11, however does not disclose expressly further utilizing every Nth harmonic estimator output z_{Nk} where N is the ratio of the sampling frequency and the update frequency (f_s/f_u).

The Kotoulas reference discloses utilizing every Nth harmonic estimator output from the control signal (col.20 ln.14-28).

At the time of the invention it would have been obvious to a person of ordinary skill in the art to use a control signal that contains every Nth harmonic.

The motivation for doing so would have been to reduce vibrations and noise in the output signal.

With respect to claim 13, Ivers discloses the method of claim 11, however does not disclose expressly the method further comprising: generating separate control commands for each of multiple tones; adding control commands for each tone; and outputting a sum of the control commands for each tone to one or more force generators.

The Kotoulas reference discloses a method further comprising: generating separate control commands for each of multiple tones; adding control commands for

Art Unit: 2615

each tone; and outputting a sum of the control commands for each tone to one or more force generators (fig.4 #108,102,112).

At the time of the invention it would have been obvious to a person of ordinary skill in the art to generate a control command for each of the plurality of sensed tones as in the Kotoulas reference.

The motivation for doing so would have been to reduce noise or vibrations from a plurality of sources.

Claims 7, 8 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ivers (WO 00/20775) in view of Bennett et al (US 6,429,939 B1).

With respect to claim 7, Ivers discloses the method of claim 6 however does not disclose expressly further including the step of: f) generating harmonic components of the control commands in said step e).

The Bennett reference discloses a method of generating harmonic components of the control commands based upon control computations (col.2 ln.35-59).

At the time of the invention it would have been obvious to a person of ordinary skill in the art to generate harmonic components of the control signal as in the Bennett reference.

The motivation for doing so would have been to control the amplitude and phase of the control signal.

With respect to claim 8, Ivers discloses the method of claim 7 in view of Bennett, further including the step of: g) generating a control output at a frequency higher than the lower update frequency (Ivers pg.14 ln.35-38).

With respect to claim 10, Ivers discloses the method of claim 6, however does not disclose expressly the method further comprising: obtaining estimates of the harmonic components by computing a fast-Fourier transform of the physical variable; and extracting the result corresponding to the frequency of interest (f.sub.d).

The Bennett reference discloses a method comprising: obtaining estimates of the harmonic components by computing a fast-Fourier transform of the physical variable; and extracting the result corresponding to the frequency of interest (f.sub.d) (col.2 ln.5-10).

At the time of the invention it would have been obvious to a person of ordinary skill in the art to obtain the harmonic components by using a fast-Fourier transform as in the Bennett reference in the method of Ivers.

The motivation for doing so would have been to convert the signal to the frequency domain for further processing of the harmonic components.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 2615

Ierymenko (US 6,216,059 B1) discloses a unitary transducer control system.


Kobayashi (EP 0560364 A1) discloses a vibration/noise control system.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason R. Kurr whose telephone number is (571) 272-0552. The examiner can normally be reached on M-F 10:00am to 6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vivian Chin can be reached on (571) 273-8300. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JK
JK


VIVIAN CHIN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600